

Luxline

The board specifications of Luxline have been developed especially for the production of high quality products with a luxurious appearance. As one side of the board is extremely smooth, high-quality pre-printed labels can be applied easily giving outstanding results. The final product provides good protection.



[+ Click to enlarge](#)

Benefits

- High stiffness
- Smooth surface
- Correct caliper
- Superb flatness
- Excellent scoring, die-cutting and lining characteristics

Specifications

1.00 mm unlined/black
1.20 mm unlined/woodfree offset
1.25 mm woodfree offset/woodfree offset
1.50 mm grey/woodfree offset
1.50 mm grey/black
2.00 mm grey/grey
2.00 mm grey/duplex whi

Displayline

Displayline board is smooth, stiff, stable, and widely known for its quality finish and performance. It gives top-quality screen, offset and digital printing results. For outdoor use, our 'All Weather Display Board' will withstand all weather conditions. Displayline products are supplied on caliper. They can be supplied in large formats.



[+ Click to enlarge](#)

Benefits

- Smooth / stiff / stable
- Superb flatness
- Top-quality screen, offset and digital printing results
- Dust free
- Suitable for outdoor use
- Highly suitable for die cutting, scoring and creasing

Specifications

1.50 mm screen/screen

2.00 mm screen/screen

0.90 mm print/print

1.25 mm print/print

2.00 mm print/print

1.10 mm MC/MC (s)

1.25 mm white pe/white pe (s)

Foodline

Foodline has been especially designed for food packaging. The lining material is intended for direct food contact, thus preventing migration between packaging and food. When sized, Foodline board is suitable for moist products, considerably reducing penetration via board edges. Foodline board is supplied on grammage.



[Click image to enlarge](#)

Benefits

- Perfect barrier for greasy products
- Stiff and flat
- Luxurious image
- Constant weight
- By sizing the board, moisture penetration is strongly reduced
- Excellent cutting, die cutting and rounding of corners
- Meets FDA, BRC, BGA and HACCP regulations

Specifications

950 g/m² mp-liner gold/woodfree offset

800 g/m² goldfoil/silverfoil (s)

600 g/m² goldfoil/goldfoil (s)

Bookline

Bookline is particularly suitable for the production of hard-cover books. Bookline board is produced on caliper and can be supplied both in large sheets and rotary cut panels. Extensive rotary cutting capacity and superb logistics guarantee the flexibility and service you need.



[Click to enlarge](#)

Benefits

- Smooth
- Accurate caliper
- Stable moisture balance
- Superb flatness
- High runability

Specifications

1.50 mm grey/grey

2.00 mm grey/grey

2.50 mm grey/grey

3.00 mm grey/grey

Statline

Statline board is particularly suitable for a wide range of stationery products. As this board is often exposed to other types of paper, a correct moisture content is required. Statline products are produced on caliper and can be supplied in large sheets and in cut panels.



[Click to enlarge](#)

Benefits

- Smooth
- Accurate caliper
- Stable moisture balance
- Superb flatness
- High runability

- Excellent cutting, die-cutting, creasing and lining properties

Specifications

600 g/m² ribbed kraft/ribbed kraft

650 g/m² plain kraft/unlined

650 g/m² plain kraft/plain kraft

1.25 mm cream/cream

1.90 mm grey/grey

2.20 mm grey/grey

Puzzleline

All types of Puzzleline board are tuned to the perfect production of puzzles and games. In addition to the standard blue puzzle board, which is produced on caliper, other greyboard qualities can be used. All products are in compliance with the Foodstuffs and Consumer Goods Act and DIN EN-71 part 3 (safety and toys).



[+](#) *Click to enlarge*

Benefits

- Excellent flatness
- Excellent creasing, scoring and die-cutting properties
- Stable moisture balance
- Dust free
- Accurate caliper

Specifications

1.90 mm blue/blue

1.30 mm unlined/unlined

1.50 mm grey/grey

Packline

Packline's strong board is very suitable for fresh-product packaging. When internally sized and finished with a PE-coated liner, Packline products perform extremely well in wet conditions.



[Click to enlarge](#)

Benefits

- Cool: perfect shelf appeal and printing
- Strong: suitable for dry and wet conditions
- Slim: low volume and logistical cost savings
- Flex: wide product range
- Swift: high runability
- Safe: food safe and GMP-certified

Specifications

650 g/m² unlined/unlined

650 g/m² white kraft/white kraft

700 g/m² white kraft/brown kraft

700 g/m² white kraft/unlined

750 g/m² white kraft/tk liner

800 g/m² brown kraft/brown kraft

900 g/m² tkliner/tkliner

1.000 g/m² white testliner/tkliner + white pe nc

1.050 g/m² white testliner/tkliner

1.100 g/m² kraftliner/kraftliner

1.100 g/m² white kraftliner/tkliner

650 g/m² Sapino white kraft + white pe/white kraft + white pe

750 g/m² Sapino white kraft + white pe/brown kraft + pe